Hints

- 1. Used to dynamically discover the low-level physical network hardware address that corresponds to the high level IP Address for a given host, for instance.
- 2 Dynamic Random Access Memory
- 3. The main computer system to which users are connected.
- A standard character-to-number encoding widely used in the computer industry
- 5. Desktop publishing
- 6. A format originally developed for attaching sounds, images and other media files to electronic mail, but now also used with World Wide Web applications.
- 7. Network used to interconnect several networks together.
- 8. data is flowing in both directions at the same time
- is an international standard for video compression and desktop movie presentation.
- The capacity of the transmission medium stated in bits per second or as a frequency. Encapsulated PostScript
- 12. Network Basic Input/Output System
- Berkeley Software Distribution. Implementation of the UNIX operating system and its utilities developed and distributed by the University of California at Berkeley.
- 14. An emerging standard for network technology based on fiber optics that has been established by the American National Standards Institute (ANSI)
- 15. A word, number, or symbol that is typed after a command to further specify how the command should function.
- by Dynamic Host Configuration Protocol
- The process computers and modems go through in order to establish a connection and agree on the speed and protocols for data transmission.
- 18. Software that you can try before you buy.
- A general purpose distributed, replicated, data query service. Its principal use is the lookup of host IP addresses based on host names.
- 20. A chart displaying the tonal ranges present in an image as a series of vertical bars.